

# **ART 315-A MK4**

## **ACTIVE TWO-WAY SPEAKER**

#### **DESCRIPTION**

Active speakers for live sound reinforcement and stage monitoring as well as distributed sound systems for clubs, music venues and corporate events. ART 315-A MK4 is the ideal speaker when an exceptional full range, outstanding bass reproduction and accurate high frequency delivery are required.



#### **FEATURES**

- 129 dB Max SPL
- 800 WATT 2-way peak power
- DSP Processing with FiRPHASE
- 15" woofer, high power 2.5" voice coil
- 1" HF driver, mylar dome, 1.5" voice coil

Rev. L Last update: 18/10/2022



#### **TECHNICAL SPECIFICATIONS**

Acoustical specifications Frequency Response:  Max SPL @ 1m:  Horizontal coverage angle:  Vertical coverage angle:  45 Hz ÷ 20000 Hz  129 dB  90°  60°	
Horizontal coverage angle: 90°	
ū ū	
Vertical coverage angle: 60°	
<b>Transducers</b> Compression Driver: 1 x 1.0", 1.5" v.c	
Woofer: 15", 2.5" v.c	
Input/Output section Input signal: bal/unbal	
Input connectors: XLR, Jack	
Output connectors: XLR	
Input sensitivity: -2 dBu/+4 dBu	
Mic. Input Sensitivity: -32 dBu	
Processor section   Crossover Frequencies:   1800 Hz	
Protections: Thermal, RMS	
Limiter: Soft Limiter	
Controls: Volume, Boost, Mic/Line	
Power section         Total Power:         800 W Peak, 400 W RMS	
High frequencies: 200 W Peak, 100 W RMS	
Low frequencies: 600 W Peak, 300 W RMS	
Cooling: Convection	
Connections: VDE	
Standard compliance Safety agency: CE compliant	
Physical specifications         Cabinet/Case Material:         PP Composite	
Hardware: 4 x M10	
Handles: 1Top, 2 Side	
Pole mount/Cap: Yes	
Grille: Steel	
Color: Black	
Size Height: 680 mm / 26.77 inches	
Width: 405 mm / 15.94 inches	
Depth: 345 mm / 13.58 inches	
Weight: 17.1 kg / 37.7 lbs	
<b>Shipping informations</b> Package Height: 406 mm / 15.98 inches	
Package Width: 466 mm / 18.35 inches	
Package Depth: 798 mm / 31.42 inches	
Package Weight: 20.2 kg / 44.53 lbs	



### **PART NUMBER**

· 13000542

ART 315-A MK4

115V

EAN 8024530015213

· 13000541

ART 315-A MK4

220-240V

EAN 8024530014957